



至丰法兰

ZHIFENG FLANGE

ZHEJIANG ZHIFENG FLANGE
TECHNOLOGY CO., LTD.



ZHIFENG FLANGE
TECHNOLOGY CO., LTD.
浙江至丰法兰科技有限公司

地址: 浙江省温州市龙湾区空港新区港腾路6-1号
电话: 0577-8171 5777
传真: 0577- 8165 1666
邮箱: chinazhifeng@163.com

www.china-zhifeng.com

Add: No. 6-1, Gangteng Road, Konggang New District,
Longwan District, Wenzhou City, Zhejiang Province
Tel: 0577-8171 5777
Fax: 0577- 8165 1666
Email: chinazhifeng@163.com



企业官网

PRODUCT SELECTION
MANUAL 产品选择手册

不锈钢法兰优质供应商
SUPPLIER OF STAINLESS STEEL FLANGE

www.china-zhifeng.com

Quality

SUPPLIER OF STAINLESS
STEEL FLANGE

不锈钢法兰优质供应商

不积跬步，无以至千里；
不积小流，无以成江海。

至丰关注的不仅仅是产品，服务和解决方案。
更是实行再生可持续发展战略，以节能环保造福社会！



COMPANY PROFILE

企业简介

浙江至丰法兰科技有限公司坐落于“中国阀门城-浙江温州龙湾”，交通发达，物流便捷。公司秉承“诚信、优质、共赢”的企业理念，坚持用户至上、服务周全原则，用心解除客户所忧；以科技服务和优质产品服务客户；始终坚持以“想顾客之所想，急顾客之所急”的经营理念，不断前行；公司坚持技术的力量、不断创新、不断超越，与客户共成长。

公司在不断壮大发展的过程中，采用全自动数控机床及配套的系列检测设备进行生产，积累了丰富的管理经验，有一套从产品设计、开发、生产和销售为一体的企业管理和技术管理体系，为客户提供较具完美品质的产品，以优质服务取信客户，实现企业和客户的价值较大化。

主营产品：不锈钢平焊法兰、带颈法兰、对焊法兰、环连接法兰、承插法兰、松套法兰、螺纹法兰、压力容器法兰、管板、大口径法兰、非标法兰定制、不锈钢管件等。

至丰法兰竭诚欢迎新老客户惠顾，愿与您忠诚合作，共创辉煌未来！

中国·至丰法兰



2008年
公司创建于



5000 m² +
厂房占地面积



200个 +
产品应用的行业

Zhejiang Zhifeng Flange Technology Co., Ltd. is located in "China Valve City - Longwan, Wenzhou, Zhejiang", with developed transportation and convenient logistics. The company adheres to the corporate philosophy of "integrity, quality, and win-win", adheres to the principle of customer first and comprehensive service, and relieves customers' worries attentively; serves customers with technological services and high-quality products; The business philosophy of "urgent" keeps moving forward; the company adheres to the power of technology, keeps innovating and surpassing, and grows together with customers.

In the process of continuous growth and development, the company adopts automatic CNC machine tools and supporting series of testing equipment for production, and has accumulated rich management experience. It has a set of enterprise management and technical management system that integrates product design, development, production and sales. , to provide customers with more perfect quality products, to win the trust of customers with high-quality services, and to maximize the value of enterprises and customers.

Main products: stainless steel flat welding flange, neck flange, butt welding flange, ring connection flange, socket flange, loose flange, threaded flange, pressure vessel flange, tube sheet, large diameter method Flange, non-standard flange customization, stainless steel pipe fittings, etc.

Zhifeng Flange wholeheartedly welcomes new and old customers to patronize, and is willing to cooperate with you faithfully to create a brilliant future!



SEIKO MANUFACTURING

精工智造

先进的设备，完善的配套
专注产品细节，打造行业精品

至丰拥有先进的加工生产设备，各种专业的层次的技术员工；
以满足客户需求为企业发展的中心，
以“持续创新，客户满意，开速改善，全员参考”为基本质量方针；
让高品质产品源源而出，有效满足客户的不同需求。


自有标准生产车间
Own standard production workshop

按ISO 9001质量标准执行生产
Production according to ISO 9001 quality standards

所有法兰均采用数控精加工
All flanges are CNC finished

成品全部经过严格检测验收
All finished products have undergone strict inspection and acceptance





质量把关 道道工序 精挑细选 严格把关

至丰对企业生产的所有物料，包括原材料、毛坯、半成品及产品，以及辅助物料进行精挑细选，严格把关，合理控制和管理。

Quality control Every process Carefully selected and strictly controlled

Zhifeng carefully selects all the materials produced by the enterprise, including raw materials, blanks, semi-finished products and products, as well as auxiliary materials, strictly controls, and reasonably controls and manages them.



INSPECTION AND WAREHOUSING

检测与仓储

通过各种检测手段，
保证至丰产品的品质质量

从圆钢毛坯到最终产品，至丰拥有先进的检验和测试设备进行质量控制。所有铸件都按照相关的规格进行精确的外观和尺寸检验，严格的工序检验贯穿整个生产过程，每个法兰都按照客户的要求或国际标准经过严格的检验，并在装运前进行最终检测。至丰将努力实现法兰零缺陷。总之，我们拥有绝对的品质控制能力，从产品的设计开发、材料采购、生产制造直到包装出货，都遵循严格的质量管理制度，从而确保产品始终如一的高品质。




APPLICATION AREA

应用领域

企业产品主要应用于石油、化工、医药、环保、等领域，并积极开拓新的领域及市场。至丰法兰力争服务更多更优质的客户，也将与新老客户共进步同共赢！

Enterprise products are mainly used in petroleum, chemical, pharmaceutical, environmental protection, and other fields, and actively Open up new areas and markets. Zhifeng flange strives to serve more and better customers, also Will make progress and win-win together with new and old customers!



建筑

Architecture



制药

Pharmaceutical



石油


oil

产品远销美国，德国，意大利，新加坡，加拿大，墨西哥，日本，韩国，马来西亚，印度尼西亚，南非，巴西以及中东等国际市场。

Products are exported to the United States, Germany, Italy, Singapore, Canada, Mexico, Japan, South Korea, Malaysia, Indonesia, South Africa, Brazil and the Middle East and other international markets.

MARKETING NETWORK

营销网络





板式平焊法兰

PLATE FLAT WELDING FLANGE

产品材质:
SS304, 304L, 316, 316L, 2205, 904L及特材定制。

产品口径:
DN15mm-DN2000mm

产品概述:
具有良好的综合性能, 所以它广泛用于化工、建筑、给水、排水、石油、轻重工业、冷冻、卫生、水暖、消防、电力、航天、造船等基础工程。

Product material:
SS304, 304L, 316, 316L, 2205, 904L and special materials are customized.

Product caliber:
DN15mm-DN2000mm

Product description:
It has good comprehensive performance, so it is widely used in basic projects such as chemical industry, construction, water supply, drainage, petroleum, light and heavy industry, freezing, sanitation, plumbing, firefighting, electricity, aerospace, shipbuilding, etc.



带颈对焊法兰

WELDED FLANGE WITH NECK

产品材质:
SS304, 304L, 316, 316L, 2205, 904L及特材定制。

产品口径:
DN15mm-DN2000mm

产品概述:
由于锥颈的过渡结构及对接焊连接, 使法兰的强度及刚度得到加强, 密封性比平焊法兰好。适用于压力、温度较高或对密封要求高的场合。

Product material:
SS304, 304L, 316, 316L, 2205, 904L and special materials are customized.

Product caliber:
DN15mm-DN2000mm

Product description:
Due to the transition structure of the cone neck and the butt welding connection, the strength and rigidity of the flange are strengthened, and the sealing performance is better than that of the flat welded flange. It is suitable for occasions with high pressure, high temperature or high sealing requirements.



带颈平焊法兰

WELDED FLANGE WITH NECK

产品材质:
SS304, 304L, 316, 316L, 2205, 904L及特材定制。

产品口径:
DN15mm-DN2000mm

产品概述:
带颈平焊法兰也属于平焊法兰, 因为有个短颈, 从而提高了法兰的强度改善了法兰的承载力度。所以可以用于更高压力的管道上。

Product material:
SS304, 304L, 316, 316L, 2205, 904L and special materials are customized.

Product caliber:
DN15mm-DN2000mm

Product description:
The flat welded flange with a neck is also a flat welded flange, because it has a short neck, which improves the strength of the flange and improves the bearing strength of the flange. So it can be used on higher pressure pipes.



软接头法兰

SOFT JOINT FLANGE

产品材质:
SS304, 304L, 316, 316L, 2205, 904L及特材定制。

产品口径:
DN15mm-DN2000mm

产品概述:
此产品可降低振动及噪声, 并可对因温度变化引起的热胀冷缩起补偿作用, 广泛应用于各种管道系统。

Product material:
SS304, 304L, 316, 316L, 2205, 904L and special materials are customized.

Product caliber:
DN15mm-DN2000mm

Product description:
This product can reduce vibration and noise, and can compensate for thermal expansion and contraction caused by temperature changes, and is widely used in various pipeline systems.



法兰盖

FLANGE COVER

产品材质:
Ss304, 304L, 316, 316L, 2205, 904L及特材定制。

产品口径:
DN15mm-DN2000mm

产品概述:
是中间不带孔的法兰, 供封住管道堵头用。

Product material:
SS304, 304L, 316, 316L, 2205, 904L and special materials are customized.

Product caliber:
DN15mm-DN2000mm

Product description:
It is a flange without a hole in the middle, which is used to seal the pipe plug.



大口径法兰

LARGE DIAMETER FLANGE

产品材质:
SS304, 304L, 316, 316L, 2205, 904L及特材定制。

产品口径:
DN15mm-DN2000mm

产品概述:
大口径法兰是法兰中的一种, 在机械行业、化工行业、风电行业、污水处理行业中普遍使用和推广, 得到用户的好评和青睐, 大口径法兰的用途广泛生产工艺分为卷制和锻制。

Product material:
SS304, 304L, 316, 316L, 2205, 904L and special materials are customized.

Product caliber:
DN15mm-DN2000mm

Product description:
Product Overview Large-diameter flange is one of the flanges. It is widely used and promoted in the machinery industry, chemical industry, wind power industry, and sewage treatment industry. It has been praised and favored by users. The use of large-diameter flange is widely used For rolling and forging.



管板

TUBE SHEET

产品材质:
SS304, 304L, 316, 316L, 2205, 904L及特材定制。

产品口径:
DN15mm-DN2000mm

产品概述:
是换热器中起到固定管子以及密封介质作用的圆钢。将管子穿入焊住固定, 起这样作用的一种配件。

Product material:
SS304, 304L, 316, 316L, 2205, 904L and special materials are customized.

Product caliber:
DN15mm-DN2000mm

Product description:
It is round steel that plays a role of fixing pipes and sealing medium in the heat exchanger. A fitting that pierces the tube and welds it for fixing.



非标法兰

NON-STANDARD FLANGE

产品材质:
Ss304, 304L, 316, 316L, 2205, 904L及特材定制。

产品口径:
DN15mm-DN2000mm

产品概述:
非标法兰是根据不同使用环境来制定的法兰。

Product material:
SS304, 304L, 316, 316L, 2205, 904L and special materials are customized.

Product caliber:
DN15mm-DN2000mm

Product description:
Non-standard flanges are flanges formulated according to different usage environments.

地理位置
GEOGRAPHICAL LOCATION



售后服务和质量保证承诺

一、售前服务

做到技术与销售的无缝对接服务，让用户的每一次采购都有服务的体验。

- ①进行采购前产品技术沟通和交流，主动给予建议。
- ②在进行产品型号选择时考虑是否成本最低化工矿效率最大化。
- ③不能达到工矿要求时，根据客户的特殊要求，安排设计师合理改善。

二、售中服务

尊重每位用户；给用户一份轻松，放心的整体价值服务。

- ①进行性价比：比价格，比质量，比服务，反思是否有不做到位的地方。
- ②在合作过程中，依照合同，保质保量准时交货，随时保持与用户联系。
- ③生产期间，相关技术人员可来我司进行产品监造和检验，同时，我司会提供该产品的结构图及详细文件资料，来做监造文件。
- ④对特殊工矿或定做的产品，可协商专业技术人员亲临现场指导。
- ⑤我公司在发货前以电话进行产品型号、口径、数量、件数的确认。

三、售后服务

完善的服务铸就完美的企业让客户无后顾之忧。

- ①按合同要求提供产品的合格证、生产许可证、检验报告、安装说明书等。
- ②顾客在验收产品过程中，如出现与合同要求不符时，我司接到顾客通知后两小时内给予处理。
- ③我司提供十二个月的产品质保期，时间从验收合格之日起计算。
- ④在正确安装和使用下，出现产品质量问题，本公司将负责到底。

四、包修包换承诺

- ①在正常的储运、安装、保养、使用条件下，因产品的质量不能正常使用时，提供三保四包：保质、保量、保及时、包修、包换、包退、包损失。
- ②在接到质量信息反馈时，将在24小时内提出处理意见，并做到100小时内赶到现场做处理。
- ③可根据用户需求协商提供备品、备件和安装、调试、维修服务。

以上四点是我公司对售后服务的承诺。竭诚欢迎广大用户指导修正，请提出宝贵意见，参照改进。真诚希望我们之间合作愉快。